

Detailed Saleyard Report - Cattle  
 Market information provided by MLA's National Livestock Reporting Service

**Pakenham**

report date 08/02/2021

 Yarding 1509  
 Change 190

comparison date 01/02/2021

There were 1,509 export and young cattle penned representing an increase of 200 head week-on-week. There was a full field of buyers present but not all operating fully in a cheaper market in places. Quality was good with prime cattle well supplied. Vealers were slightly dearer while yearling trade lots eased a few cents. Grown steers eased 15c while bullocks came off 10c/kg. Heavy Grown heifers held firm. Heavy manufacturing steers lost 20c/kg. Cows sold mostly 5c to 10c/kg cheaper.

Vealers sold from 406c to 480c/kg. Yearling trade steers made from 400c to 460c/kg. Yearling heifers to the trade sold from 356c to 444c/kg. Grown steers sold mostly to feedlots making from 365c to 392c after a top of 414c/kg. Bullocks sold from 357c to 384c/kg. Heavy grown heifers showing good finish made from 330c to 374c/kg. Heavy Friesian manufacturing steers sold from 292c to 330c with the crossbred portion making from 338c to 370c/kg.

Most light and medium weight cows made from 215c to 280c/kg. Heavy weight cows sold mostly from 240c to 323c after a top of 340c/kg for a well shaped Euro lot.

Category	Sale Weight	Muscle Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>															
200-280															
	RS	C	2	5	442.0	449.0	447.6	N/Q	-	0	1235	1238	1,235		
280-330															
	FD	B	2	3	445.0	445.0	445.0	N/Q	-	0	1469	1469	1,469		
	FD	C	2	5	426.0	446.0	442.0	1	-	0	1406	1472	1,459		
	PR	B	3	1	480.0	480.0	480.0	N/Q	828	828	1560	1560	1,560		
	PR	C	2	3	406.0	422.0	416.7	N/Q	752	767	762	1218	1266	1,250	
330+															
	FD	C	2	17	430.0	457.0	449.9	10	-	0	1505	1737	1,652		
	PR	B	2	6	449.0	456.0	454.0	11	774	800	794	1691	1938	1,858	
	PR	B	3	9	460.0	476.0	467.1	9	778	821	807	1659	2124	1,894	
	PR	C	2	7	420.0	465.0	448.0	1	764	845	815	1575	1729	1,653	
	PR	C	3	14	450.0	460.0	455.6	9	804	821	814	1620	1840	1,750	
				70	406.0	480.0			752	845		1218	2124		
<b>Vealer Heifer</b>															
200-280															
	RS	C	2	10	449.0	464.0	450.5	N/Q	-	0	1235	1299	1,241		
280-330															
	FD	C	2	2	430.0	430.0	430.0	-10	-	0	1419	1419	1,419		
	PR	B	2	1	449.0	449.0	449.0	N/Q	802	802	802	1459	1459	1,459	
	PR	C	3	6	440.0	460.0	447.3	11	786	821	799	1338	1495	1,376	
	PR	D	3	3	419.0	424.0	420.7	N/Q	762	785	770	1341	1378	1,353	
	RS	C	2	10	458.0	474.0	463.6	N/Q	-	0	1404	1541	1,460		
330+															
	FD	B	2	2	436.0	436.0	436.0	N/Q	-	0	1482	1482	1,482		
	PR	B	3	11	458.0	465.0	458.6	8	802	804	803	1674	1832	1,818	
	PR	C	2	2	438.0	438.0	438.0	-6	796	796	796	1643	1643	1,643	
	PR	C	3	22	430.0	468.0	458.1	16	768	836	819	1505	1828	1,735	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	3	3	330.0	442.0	400.0	-18	611	804	736	1238	1503	1,399
				72	330.0	474.0			611	836		1235	1832	
Yearling Steer														
280-330														
	FD	C	2	2	396.0	425.0	410.5	N/Q	-	0		1188	1275	1,232
	RS	C	1	2	404.0	404.0	404.0	N/Q	-	0		1293	1293	1,293
	RS	C	2	1	446.0	446.0	446.0	N/Q	-	0		1472	1472	1,472
330-400														
	FD	C	2	8	412.0	446.0	440.8	9	-	0		1648	1784	1,752
	RS	C	2	1	405.0	405.0	405.0	N/Q	-	0		1519	1519	1,519
400+														
	FD	C	1	2	385.0	385.0	385.0	N/Q	-	0		1925	1925	1,925
	FD	C	2	5	384.0	384.0	384.0	-31	-	0		1920	1920	1,920
	PR	B	2	2	412.0	440.0	426.0	4	723	786	754	2163	2200	2,182
	PR	B	3	16	452.0	460.0	456.3	-4	779	805	793	2048	2415	2,288
	PR	C	2	1	420.0	420.0	420.0	15	778	778	778	1932	1932	1,932
	PR	C	3	20	400.0	444.0	416.0	-7	714	793	749	1769	2331	1,946
	RS	C	2	5	379.0	380.0	379.8	N/Q	-	0		1672	1800	1,698
				65	379.0	460.0			714	805		1188	2415	
Yearling Heifer														
280-330														
	PR	D	3	1	380.0	380.0	380.0	N/Q	717	717	717	1254	1254	1,254
	RS	D	1	4	320.0	320.0	320.0	N/Q	-	0		960	960	960
330-400														
	FD	D	2	2	365.0	366.0	365.5	-9	-	0		1278	1464	1,371
	FD	D	3	1	400.0	400.0	400.0	-37	-	0		1360	1360	1,360
	PR	C	3	1	442.0	442.0	442.0	27	804	804	804	1591	1591	1,591
	PR	D	3	11	366.0	394.0	382.9	10	678	730	710	1330	1576	1,488
	PR	D	4	1	346.0	346.0	346.0	N/Q	641	641	641	1384	1384	1,384
400+														
	FD	D	2	8	426.0	426.0	426.0	71	-	0		1917	1917	1,917
	FD	D	3	3	367.0	367.0	367.0	-53	-	0		1743	1743	1,743
	PR	B	3	12	444.0	444.0	444.0	10	766	766	766	1998	1998	1,998
	PR	C	2	2	385.0	416.0	400.5	-6	713	770	742	1829	1872	1,850
	PR	C	3	13	386.0	438.0	420.3	3	702	796	756	2027	2310	2,123
	PR	D	3	22	356.0	424.0	379.1	-6	672	785	707	1513	1960	1,750
	PR	D	4	6	326.0	366.0	359.3	N/Q	604	678	665	1467	1757	1,709
				87	320.0	444.0			604	804		960	2310	
Grown Steer														
500-600														
	FD	C	2	31	365.0	391.0	381.9	-15	-	0		1958	2304	2,156
	FD	C	3	22	385.0	392.0	386.8	-22	-	0		2214	2328	2,290
	FD	C	4	6	380.0	380.0	380.0	N/Q	-	0		2280	2280	2,280
	PR	C	2	4	389.0	390.0	389.3	-7	720	722	721	2145	2237	2,214
	PR	C	3	15	380.0	386.0	383.0	-17	691	702	696	2112	2292	2,132

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750	RS	C	2	40	375.0	414.0	402.7	N/Q	-	0	2006	2381	2,270	
	FD	C	2	5	362.0	366.0	363.2	-24	-	0	2366	2534	2,488	
	FD	C	3	18	372.0	384.0	380.0	N/Q	-	0	2381	2400	2,394	
	PR	C	2	10	374.0	374.0	374.0	-3	680	680	680	2431	2431	2,431
	PR	C	3	20	371.0	380.0	374.5	N/Q	663	687	672	2604	2835	2,771
	PR	C	4	88	372.0	384.0	381.0	-11	679	696	687	2457	2770	2,601
	PR	D	3	5	375.0	379.0	376.6	N/Q	682	702	690	2438	2464	2,448
750+	PR	C	3	13	357.0	370.0	366.0	N/Q	638	661	654	2856	2868	2,864
	PR	C	4	50	360.0	388.0	372.3	N/Q	643	684	665	2829	3298	2,953
				327	357.0	414.0			638	722		1958	3298	
Grown Heifer														
0-540														
540+	DA	E	2	4	252.0	252.0	252.0	N/Q	-	0	1109	1109	1,109	
	DA	E	3	1	284.0	284.0	284.0	N/Q	-	0	1491	1491	1,491	
	FD	D	1	1	328.0	328.0	328.0	N/Q	-	0	1394	1394	1,394	
	FD	D	2	3	283.0	283.0	283.0	N/Q	-	0	1528	1528	1,528	
	PR	D	3	21	340.0	365.0	363.8	5	654	676	675	1530	1971	1,950
	RS	C	1	1	347.0	347.0	347.0	N/Q	-	0	1735	1735	1,735	
	RS	D	1	4	255.0	255.0	255.0	N/Q	-	0	918	918	918	
	DA	E	2	5	305.0	305.0	305.0	45	-	0	1754	1754	1,754	
	FD	D	2	5	291.0	310.0	297.6	N/Q	-	0	1673	1705	1,681	
	FD	D	3	1	355.0	355.0	355.0	-1	-	0	2041	2041	2,041	
	FD	D	4	3	356.0	356.0	356.0	N/Q	-	0	1958	1958	1,958	
	PR	C	3	5	341.0	374.0	360.8	-36	620	668	649	2244	2387	2,301
	PR	D	2	1	322.0	322.0	322.0	N/Q	644	644	644	1771	1771	1,771
	PR	D	3	83	330.0	372.0	361.7	-2	620	689	670	1925	2464	2,102
PR	D	4	3	326.0	330.0	328.7	-23	604	611	609	1793	1815	1,808	
				141	252.0	374.0			604	689		918	2464	
Manufacturing Steer														
0-540														
540+	DA	E	2	1	295.0	295.0	295.0	N/Q	-	0	1475	1475	1,475	
	PR	D	2	7	330.0	365.0	344.6	N/Q	635	689	657	1643	1864	1,758
	PR	D	3	5	372.0	382.0	376.0	-11	689	721	702	1860	1910	1,880
	DA	D	1	23	292.0	320.0	304.0	-17	-	0	1752	1920	1,824	
	DA	D	2	33	314.0	330.0	318.9	-20	-	0	1840	2457	2,149	
	PR	C	2	1	362.0	362.0	362.0	N/Q	670	670	670	2353	2353	2,353
	PR	D	2	1	318.0	318.0	318.0	-34	600	600	600	2067	2067	2,067
PR	D	3	58	338.0	370.0	354.6	-20	626	685	661	1887	3330	2,392	
PR	D	4	1	285.0	285.0	285.0	N/Q	528	528	528	2850	2850	2,850	
				130	285.0	382.0			528	721		1475	3330	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Cows														
0-400														
	DA	E	1	1	208.0	208.0	208.0	-11	-	0	832	832	832	
	RS	E	1	6	226.0	226.0	226.0	18	-	0	904	904	904	
400-520														
	DA	E	1	8	215.0	225.0	218.8	-1	-	0	946	1069	992	
	FD	D	2	2	280.0	299.0	289.5	N/Q	-	0	1316	1400	1,358	
	PR	D	2	3	260.0	280.0	266.7	-27	553	583	563	1300	1,400	1,333
	PR	E	1	4	230.0	230.0	230.0	N/Q	548	548	548	978	978	978
	RS	D	1	1	244.0	244.0	244.0	N/Q	-	0	1074	1074	1,074	
	RS	E	1	3	225.0	239.0	234.3	-33	-	0	956	1052	1,020	
520+														
	DA	D	1	6	240.0	242.0	241.0	-19	-	0	1355	1380	1,368	
	DA	D	2	4	268.0	275.0	271.5	-12	-	0	1541	2131	1,767	
	DA	E	1	2	225.0	225.0	225.0	-7	-	0	1238	1238	1,238	
	DA	E	2	1	252.0	252.0	252.0	-36	-	0	1386	1386	1,386	
	FD	D	1	6	277.0	277.0	277.0	N/Q	-	0	1524	1524	1,524	
	FD	D	2	10	306.0	306.0	306.0	-4	-	0	1913	1913	1,913	
	FD	D	3	3	275.0	340.0	318.3	-6	-	0	1513	1870	1,751	
	PR	B	3	2	330.0	340.0	335.0	N/Q	600	607	604	1980	2040	2,010
	PR	C	2	3	275.0	340.0	301.7	-31	573	630	598	1650	1870	1,729
	PR	C	4	2	320.0	336.0	328.0	N/Q	571	600	586	2184	2240	2,212
	PR	D	2	15	255.0	296.0	279.1	-12	531	617	579	1466	1890	1,716
	PR	D	3	25	292.0	330.0	306.9	-7	584	653	612	1678	2135	1,905
	PR	D	4	64	300.0	323.0	316.4	-8	600	644	616	1680	2261	2,101
	PR	D	5	18	285.0	310.0	299.8	-10	570	620	600	2059	2790	2,327
	PR	E	3	2	285.0	285.0	285.0	N/Q	594	594	594	1639	1639	1,639
	RS	C	2	2	276.0	276.0	276.0	N/Q	-	0	1794	1794	1,794	
				193	208.0	340.0			531	653		832	2790	
Bulls														
0-450														
	PR	C	2	1	293.0	293.0	293.0	-22	553	553	553	1289	1289	1,289
	RS	C	2	6	429.0	429.0	429.0	85	-	0	1502	1502	1,502	
450-600														
	PR	C	2	2	354.0	354.0	354.0	54	656	656	656	1770	1770	1,770
				9	293.0	429.0			553	656		1289	1770	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

\* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

